



Fence and mesh professional manufacturers

The company was founded in 1998 years



GloryBest Industry Co.,LTD.

—Reliability you can build on



Wechat



scan for website



Welcome to GloryBest Industry Co.,LTD

GloryBest Industry Co.,LTD., is located in China's largest wire mesh production base - -- Anping County, it is a integrated enterprise who can make research, production and operation at the same time. After many years of development, having 5 million fixed assets, annual output of 1.5 million square meters, annual output of \$30 million.Main export products are fence ,mesh & gabions.

We have a perfect staff of producing, inspection and sale, Strict quality guarantee system and perfect management system is our foothold. Our company of "quality first, reputation first" principle, provide customers with quality and quantity of various types of products. Always uphold the "quality, integrity and pragmatic, motivated, service-oriented" business philosophy, and applies the company's management and operating among. The face of fierce competition, the company system is constantly being improved, relying on science and technology, continuously improve the technology content of products sold, for society, customers and companies to create a higher market value. My company has been in good faith to create enterprises, to credit management market, has won a good international reputation, also won the respect of their domestic counterparts.

We have professional production equipment and professional technical personnel.




We have the ability to organize and lead our products..

We have advanced management experience, production process and quality control means..

We sincerely hope to establish close relations on the basis of mutual trust and benefit, friendly cooperation to meet customers' requirements. We will do our bests to provide excellent quality products and technical services!

3D FENCE PANEL


Wire mm	Mesh mm	Height mm	Length mm	Curves pcs
4.5 5.0	200x50 200x55	825	2500	2
		1025	2500	2
		1225	2500	2
		1525	2500	3
		1725	2500	3
		2025	2500	4



Square Post
 60x60x1.5mm
 60x40x1.5mm
Clips
 60x60x2mm
 60x40x2mm



Round Post
 φ 48x1.5mm
 φ 60x1.5mm
Clips
 48x2mm
 60x2mm





2D FENCE PANEL

Wire mm	Mesh size mm	Height mm	Length mm
8/6/8 6/5/6 5/4/5	200x50	630	2500
		830	
		1030	
		1230	
		1430	
		1630	
		1830	
		2030	
		2430	
		2530	
2630			



DECORATIVE FENCE PANEL (Ark)

Wire mm	Mesh mm	Height mm	Length mm
6/5/6	200x65	960-1083	2015
6/5/6	200x65	1160-1283	2015
6/5/6	200x65	1360-1483	2015
6/5/6	200x65	1560-1683	2015
6/5/6	200x65	1760-1883	2015
6/5/6	200x65	1960-2083	2015




WELDED SECURITY FENCING

Wire mm	Mesh mm	Height mm	Length mm
3.0 3.5 4.0	76.2x12.7	1500	2000 2200 2500
		1800	
		2000	
		2400	
		3000	

Square Post

60x60x2.0mm


80x80x2.5mm



without curve



with curve



BRC FENCE

Wire mm	Mesh mm	Height mm	Length mm
4.0		830	
4.5	50x100	1030	2000
5.0	50x150	1230	2200
5.5	50x200	1430	2500
6.0	75x150	1630	3000
6.5	75x200	1830	
7.0		2030	



Square Post

60x60x2.0mm
60x60x2.5mm
80x80x2.5mm

Round Post

φ 60x1.5 mm
φ 60x2.0 mm

Peach Post

50 x70x 1.2 mm
70 x100 x1.2 mm


Rectangular Post

40x 60 x1.5 mm
40 x60x 2.0 mm
60x 80 x1.5 mm

SURFACE:

Hot Dipped Galvanized

Electrostatic spraying + Polyester Powder (All colors in RAL)



CHAIN LINK FENCE


Wire Gauge BWG	Mesh	Width m	Length m
12,13,14,16	1"	0.5-4	5-25
8,9,10,11,12,13	1 1/2"		
	2"		
8,9,10,11,12	2 1/2"		
	2 1/4"		
	2 3/8"		
8,9,10	3"		




SURFACE:

Galvanized


Electrostatic spraying + Polyester Powder (All colors in RAL)



twisted-twisted



knuckle-knuckle



knuckle-twisted


Diffrent Package



Shrink handle




Big roll




FIELD FENCE


Wire mm	Mesh cm	Wire Number pcs	Height cm	Length m
1.7/2.1	15/30	8	102	50 100
1.8/2.2	15/30	9	125	
1.9/2.5	15/30	11	142	
2.0/2.5	15/30	12	165	
2.1/3.0	15/30	13	188	
2.5/3.4	15/30	17	200	



Hinge Joint Type



Fixed Knot Type



HEXAGONAL GABION


Gabion Roll

Mesh wire (mm)	Selvedge wire (mm)	Mesh size (mm)	Length (m)	Width (m)
2.7	3.4	80x100	25	1-4
3.0	3.9			
2.2	2.4	60x80	50	
2.4	2.7			
Other poluer sizes can be available				



Gabion Box

Mesh wire (mm)	Selvedge wire (mm)	Mesh size (mm)	Nominal dimensions			Diaphragm Number (pc)
			Length (m)	Width (m)	Height (m)	
2.7	3.4	80x100	1	1	1	0
			2	1	0.5	1
			2	1	1	1
			3	1	1	2
			4	1	1	3
2.4	2.7	60x80	1	1	1	0
			2	1	0.5	1
			2	1	1	1
			3	1	1	2
			4	1	1	3
Other poluer sizes can be available						



Gabion Mattress

Mesh wire (mm)	Selvedge wire (mm)	Mesh size (mm)	Nominal dimensions			Diaphragm Number (pc)
			Length (m)	Width (m)	Height (m)	
2.7	3.4	80x100	2	1	0.17	1
			3			2
2.4	2.7	60x80	4	2	0.23	3
			5			4
			6			5
Other poluer sizes can be available						




WELDED GABION

Wire	Mesh	Size	Spring/set		
			2m	1m	0.5m
mm	mm	(m)			
5.5	50x200	2x1x1	4	8	
5.5	50x200	1x1x1		12	
5.5	50x200	2x1x0.5	4	4	4
5.5	50x200	1x1x0.5		8	4
5.5	50x100	2x1x1	4	8	
5.5	50x100	1x1x1		12	
5.5	50x100	2x1x0.5	4	4	4
5.5	50x100	1x1x0.5		8	4



HESCO BARRIER








Wire dia	Mesh	Size
mm	mm	(m)
4.0	50x100	2x1x1
5.0	50x200	1x1x1



WELDED MESH ROLL

Galvanized Welded Mesh Roll







Wire mm	Mesh mm	Height cm	Length m
0.8	12.7x12.7	100	25
0.9		120	
1.0		150	
1.2		180	
1.4		200	
0.9	25x12.7	100	25
1.0		120	
1.2		150	
1.3		180	
1.4		200	
0.7	16x16	100	25
0.8		120	
0.9		150	
1.0		180	
1.1		200	
0.8	19x19	100	25
0.9		120	
1.0		150	
1.2		180	
1.4		200	
0.9	25x25	100	25
1.0		120	
1.1		150	
1.2		180	
1.4		200	
1.6	50x50	100	25
1.7		120	
1.8		150	
1.9		180	
2.0		200	
1.6	50x75	100	25
1.7		120	
1.8		150	
1.9		180	
2.0		200	



WELDED MESH ROLL







PVC coated Welded Mesh Roll

Wire mm	Mesh mm	Height cm	Length m
0.8	12.7x12.7	100	25
0.9		120	
1.0		150	
1.2		180	
1.4		200	
0.9	25x12.7	100	25
1.0		120	
1.2		150	
1.3		180	
1.4		200	
0.7	16x16	100	25
0.8		120	
0.9		150	
1.0		180	
1.1		200	
0.8	19x19	100	25
0.9		120	
1.0		150	
1.2		180	
1.4		200	
0.9	25x25	100	25
1.0		120	
1.1		150	
1.2		180	
1.4		200	
1.6	50x50	100	25
1.7		120	
1.8		150	
1.9		180	
2.0		200	
1.6	50x75	100	25
1.7		120	
1.8		150	
1.9		180	
2.0		200	



EURO FENCE

Wire mm	Mesh mm	Height cm	Length m
2.0	50x50	100	5
		125	
2.1	75x50	150	10
2.2		175	
2.3	100x50	200	25
	100x75		



Installation



HEXAGONAL NET


Wire mm	Mesh mm	Width m	Length m
0.6-1.0	13	0.25-2	20
0.6-1.0	19	0.25-2	
0.7-1.3	25	0.25-2	25
0.8-1.3	30	0.25-2	30
0.8-1.4	40	0.25-2	50
1.0-1.4	50	0.25-2	



- Electro Galvanized before Weaving
- Electro Galvanized After Weaving
- Hot Dipped Galvanized before Weaving
- Hot Dipped Galvanized after Weaving
- PVC Coated Before or After Weaving
- Stainless Steel Wire




Normal Twist



Reverse Twist


GARDEN FENCE

Wire mm	Mesh mm	Width m	Length m
Warp wire:1.9/3.0	90X150	0.40	10
	90X150	0.65	
Weft wire :1.5/2.4	90X150	0.90	
	90X150	1.20	




CONSTRUCTION WELDED MESH PANEL


Wire mm	Mesh mm	Width mm	Length mm
1.30	50x50 55x55	1000	2000
1.35		1000	2000
1.40		1000	2000
1.50		1000	2000
1.60		1000	2000
1.70		1000	2000
1.80		1000	2000
1.90		1000	2000
2.00		1000	2000



Wire mm	Mesh mm	Width mm	Length mm
1.30	50x50 55x55	1000	2000
1.35		1000	2000
1.40		1000	2000
1.50		1000	2000
1.60		1000	2000
1.70		1000	2000
1.80		1000	2000
1.90		1000	2000
2.00		1000	2000




Wire mm	Mesh mm	Width mm	Length mm
1.30	50x50 55x55	1000	2000
1.35		1000	2000
1.40		1000	2000
1.50		1000	2000
1.60		1000	2000
1.70		1000	2000
1.80		1000	2000
1.90		1000	2000
2.00		1000	2000



WIRE

Galvanized Barbed Wire

Wire mm	Barbs Distance cm	Length m
1.6	8	50
1.7	10	100
2.0	12	200
2.2	15	250




PVC Coated Barbed Wire

Wire mm	Barbs Distance cm	Length m
1.6/2.4	8	50
1.7/2.2	10	100
2.0/2.5	12	200
2.2/2.7	15	250



Razor wire

Type	Razor	Thickness mm	Wire mm	Razor Length mm	Razor Width mm	Razor space mm
BTO-10		0.5±0.05	2.5±0.1	12±1	13±1	26±1
BTO-15		0.5±0.05	2.5±0.1	15±1	15±1	33±1
BTO-22		0.5±0.05	2.5±0.1	22±1	15±1	34±1
BTO-30		0.5±0.05	2.5±0.1	30	18	45±1
CBT-60		0.6±0.05	2.5±0.1	60±2	32±1	100±2
CBT-65		0.6±0.05	2.5±0.1	65±2	21±1	100±2



WIRE


Galvanized Wire

Wire Dia.:	0.6-6.0mm
E.Galv.:	15-20g/m ²
H.D.Galv:	55-300g/m ²



PVC Coated wire

Wire mm	Color
1.5/2.0	RAL6005 RAL7016 RAL9005
1.6/2.2	
1.7/2.4	
1.8/2.6	
2.0/3.0	
2.2/3.2	



Galvanized Small Coil Wire

Wire mm	Length m
1.0	75 100
1.2	
1.5	
1.8	
2.0	
2.4	



PVC Coated Small Coil Wire

Wire mm	Length m
1.0/1.6	75 100
1.2/1.8	
1.5/2.1	
1.8/2.6	
2.0/2.8	
2.4/3.4	



" U " Pins

Wire mm	Specification mm
4.0	150x30x150mm
4.0	150x35x150mm
4.0	200x35x200mm
4.0	200x30x200mm
5.0	300x50x300mm



Post

T Post

Size mm	Thickness mm	Height mm
30x30	3.0	1250
30x30	3.0	1500
30x30	3.0	1750
30x30	3.0	2000
30x30	3.0	2250
30x30	3.0	2500
35x35	3.5	2000
35x35	3.5	2250
35x35	3.5	2500



L Post

Size mm	Thickness mm	Height mm
25X25	2.5	1200
25X25	2.5	1500
25X25	2.5	1750
25X25	2.5	2000



Y (Post) star picket

Size mm	Thickness mm	Weight	Height
28x28x30	2.3	1.58kg/m	0.45m,0.90m
28x28x30	2.5	1.86kg/m	1.35m,1.05m
28x28x30	2.6	1.90kg/m	1.65m,1.80m
28x28x30	3.0	2.04kg/m	2.10m,2.40m



Wire Strainer



Fence Clips



Dear customers:

Glorybest since it was founded in 93, has been to get your great support and help, in order to thank you for this for more than ten years of our company support and the deep affection,our company staffs would like to express my heartfelt thanks to you and good wishes!

In glorybest in the past more than ten years development course, with you, we respect the customer, gives us enormous strength, in your strong concern and support, and the hard work of all staffs , we with the high quality service, good prestige, the one after another brilliant achievements.

Drinking water source, we know,glorybest every bit of progress and success, cannot leave your attention, trust, support and participation. Your understanding and trust is our strong driving force for progress, your concern and support is our inexhaustible source of growth. Every time you participate in, every suggestion, let us excited, we constantly forge ahead. The journey with you, our progress is endless confidence and strength; With you, our cause can be immortal, prosperity and development.

To thank you for many years to our support, trust and help, we will carry out excellent service activities, to return you with love.

Finally, I wish your company: future and prosperity!

I wish you: health, a happy family!

From GloryBest industry co.,ltd.

GloryBest